Rymar LLC
6620 N CTH J
Cato, WI 54230

Phone: 1-866-287-9627
Customer Service: rymar@rymarindustries.com

1.0 PRODUCT AND SUPPLIER IDENTIFICATION

PRODUCT CLASS	TRADE NAME	MFG PRODUCT NO.
CONSUMER PRODUCT	#11500 WOOD STAIN REMOVER	59-04A

Identified Uses: CONSUMER PRODUCT, RESINS AND PAINT RELATED MATERIALS

Supplier: RYMAR LLC.
6620 North CTH J
CATO, WI 54230

Emergency Contact: Transportation Emergency (24 hour) 1-800-924-6804

Other Contacts: Customer Service (866) 287-9627
rymar@rymarindustries.com

www.rymarindustries.com

2.0 HAZARDS IDENTIFICATION

Classification	Cat	HCODE	Description
NOT HAZARDOUS - Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)			

Signal Word: NOT HAZARDOUS

Other Hazards Which Do Not Result In Classification:

Use in a well ventilated area.
Do not take internally. Do not get in eyes or on skin.

Rymar LLC
6620 N CTH J
Cato, WI 54230

Phone: 1-866-287-9627
Customer Service: rymar@rymarindustries.com

3.0 COMPOSITION AND INFORMATION ON INGREDIENTS

NT	INGREDIENT	CAS#	ACGIH TLV PPM	ACGIH TLV mg/m3	ACGIH STEL PPM	ACGIH STEL mg/m3	OSHA PEL PPM	OSHA PEL mg/m3	OSHA CEILING PPM	OSHA CEILING mg/m3	LEL % VOLUM	VAPOR PRESS % BY mm/Hg DEG F Wght
	NON-HAZARDOUS COMPONENT: Water	7732-18-5	-----	-----	-----	-----	-----	-----	-----	-----	-----	17.50 @ 68. 48.1
	Propylene Glycol	57-55-6	-----	-----	-----	-----	-----	-----	-----	-----	2.600	0.080 @ 68.
WI	Sodium Hydroxide	1310-73-2	-----	2.000	-----	-----	-----	2.000	-----	-----	-----	----- @ --- 6.86

WI-This chemical is subject to reporting procedures outlined in the Wisconsin Department of Natural Resources Administrative Code Chapters NR438 and/or NR445.

4.0 FIRST AID MEASURES

GENERAL ADVICE: If you feel unwell seek advice immediately. Physicians: treat exposures symptomatically & supportively.
FIRST AID FOR EYE CONTACT: Gently wash eyes and eyelids with water for several minutes. Remove contact lenses if present and easy to do.
FIRST AID FOR SKIN CONTACT: Remove contaminated clothing. Wash affected areas with soap and water.
FIRST AID FOR INHALATION OF VAPORS: Remove to fresh air. Get medical attention if irritation develops.
FIRST AID FOR INGESTION: No adverse conditions expected. Rinse mouth, do not induce vomiting. If large amounts are ingested or if irritation develops, get medical attention.
MEDICAL CONDITIONS PRONE TO AGGRAVATION BY EXPOSURE: None known, no specific information available.

5.0 FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Water based product. Flashpoint for this product is listed as N/A or Not Applicable due to the presence of water. If water has boiled off, this product may exhibit properties of NFPA Class II, IIIA, or IIIB liquids. Extinguishing agents for Class B fires may be used.
UNUSUAL FIRE & EXPLOSION HAZARDS: Water based product. Sealed containers may explode if exposed to extreme heat. Frozen containers may expand and leak contents when thawed. Water soluble liquids are non-accumulators of static charge. Static protection precautions such as container bonding or grounding would not be necessary. Flash point listed as N/A or not applicable due to the presence of water.
SPECIAL FIRE FIGHTING PROCEDURES: Water may be used to cool closed containers to prevent pressure buildup. Use water spray to cool fire exposed containers if they cannot be safely moved. Keep people away from firefighting operations involving chemicals. Firefighters wear a self-contained positive pressure breathing apparatus in addition to full protective gear.

6.0 ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Dike spill area and collect with inert absorbent material. Ventilate adequately, avoid breathing vapors, use proper respiratory protection. Avoid contact, Section 8 lists PPE requirements. Follow all local, state, provincial and/or federal spill rules. Collect spill with non-sparking tools into a suitable container. Spill surface may be slippery. Scrub area with soap and water, contain all residue.
ENVIRONMENTAL CONCERNS: Do not allow any spill to enter drains, sewers or watercourses.
WASTE DISPOSAL CONSIDERATIONS: Empty containers retain product residue. Follow all label and SDS warnings even after container is empty. Check Section 13 for disposal options.

7.0 HANDLING AND STORAGE

ADVICE ON SAFE HANDLING: Wash hands thoroughly after handling. Wear proper PPE, eye protection, gloves and respirator. Maintain good housekeeping. Eye wash stations should be available in the workplace. Avoid puncturing the container, do not drag or drop. Spray operations must protect the worker from both vapors & spray/mist overspray. Keep from Freezing.

CONDITIONS FOR SAFE STORAGE: Follow safe warehousing procedures. Avoid puncturing the container. Keep containers away from excessive heat. KEEP FROM FREEZING!

8.0 EXPOSURE CONTROL / PERSONAL PROTECTION

SELECTING PROTECTIVE EQUIPMENT AND CLOTHING: When choosing personal protective equipment and clothing, consider each worker's environment, ventilation, temperature, all chemical exposures and any other adverse physical conditions. The level of protection needed for eye/skin, respiratory and other protection should be part of an ongoing job safety analysis conducted by the end user and supervisor. Safety Data Sheet Sections 2,3,8 and 11 should be consulted.

EXPOSURE CONTROLS: Provide sufficient mechanical or natural ventilation or exhaust to maintain exposures below limit guidelines or below levels that cause known, suspect or apparent side effects or the formation of flammable vapors. Allow easy access to emergency shower/eye wash facilities.

SKIN PROTECTION: Chemical resistant gloves are recommended. Use neoprene, Viton or butyl rubber. Cover exposed skin with chemical resistant long sleeve clothing. The use of barrier creams should be minimized. Chemical resistant boots or footwear should be used. Chemical apron or suit should be worn.

EYE PROTECTION: Eye protection should be worn in any type of industrial operation. The use of safety glasses with side shields (or goggles) and a face shield is recommended to prevent against liquid splash. Contact lenses should not be worn.

VENTILATION: Provide sufficient ventilation to keep dust/ airborne particulates and organic vapor concentrations below OSHA personal exposure limits (PEL) of the chemicals listed in Section 3. Remove smoke or fumes formed by welding, flame cutting or grinding surfaces coated with this material. Provide proper respiratory protection if ventilation or exhaust is inadequate. Use explosion-proof ventilation equipment.

RESPIRATORY PROTECTION: No personal respiratory protective equipment normally required. Handle in accordance with good industrial hygiene and safety practices.

OTHER PROTECTIVE EQUIPMENT: Using a suit or apron to prevent contamination of clothing is recommended. Prevent prolonged skin contact with contaminated clothing. Remove and wash all contaminated clothing before re-use. Never wear contaminated clothes or shoes away from the workplace. Use an industrial type professional cleaning service, do not wash at home.

9.0 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	N/A LIQUID
ODOR	Chemical
ODOR THRESHOLD (ppm)	0
pH	N/A
FREEZING POINT	32 Degrees Fahrenheit, 0 Degrees Celsius
BOILING RANGE	212-752 F
FLASH POINT	N/A
EVAPORATION RATE	SLOWER THAN WATER
LEL% BY VOLUME	See Section 3
VAPOR PRESSURE	See Section 3
VAPOR DENSITY	HEAVIER THAN AIR
RELATIVE DENSITY(lbs/gal)	8.9158
SOLUBILITY	SOLUBLE IN SOLVENT
AUTOIGNITION TEMP	>500 degrees Fahrenheit
DECOMPOSITION TEMP	(Not Determined)
VISCOSITY	N/A

10.0 STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable under normal storage conditions.
HAZARDOUS POLYMERIZATION: Will not occur.
CONDITIONS TO AVOID: Avoid freezing, avoid high heat. Never use pressure to empty. Do not drag, puncture or drop containers. Do not stack pails over 4 high.
INCOMPATIBILITIES: Strong acids, strong alkalis, strong oxidizers. Avoid contact with halogens, chlorinated products and peroxides.
HAZARDOUS DECOMPOSITION PRODUCTS: May decompose to oxides of carbon, nitrogen, phosphorous, chlorine and/or sulphur. May also break down to release other irritating or toxic fumes if exposed to fire conditions.

11.0 TOXICOLOGICAL INFORMATION

ROUTES OF ENTRY: Ingestion, inhalation, eye contact, skin contact absorption.
ACUTE TOXICITY ORAL: Not classified for acute toxicity.
ACUTE TOXICITY DERMAL: Not classified for acute toxicity.
ACUTE TOXICITY INHALATION: No data available.
SKIN CORROSION/IRRITATION: No data available.
SERIOUS EYE DAMAGE/EYE IRRITATION: No data available.
RESPIRATORY SENSITIZATION: No data available.
SKIN SENSITIZATION: No data available.
SINGLE DOSE TOXICITY: No data available.
REPEATED DOSE TOXICITY: Chronic overexposure may cause toxic effects. See specific target organs listed in section 2.
ASPIRATION HAZARD: No data available.
REPRODUCTIVE TOXICITY: No data available.
GERM CELL MUTAGENICITY: No data available.
OTHER EFFECTS: Repeated or prolonged exposure to some solvents has been associated with permanent brain and central nervous system damage. Intentional misuse by deliberately concentrating and inhaling vapors from this product may be harmful or fatal.
EFFECTS OF OVEREXPOSURE: There is no applicable information available regarding the carcinogen potential for this product as a whole, however any relevant information regarding any ingredient status as a potential, suspect, or confirmed carcinogen is listed in section 11 of the SDS.

12.0 ECOLOGICAL INFORMATION

ECOTOXICITY FISH: No data available.
ECOTOXICITY AQUATIC PLANTS: No data available.
ECOTOXICITY AQUATIC INVERTEBRATES: No data available.
ECOTOXICITY MICROORGANISMS: No data available.
PERSISTENCE AND DEGRADABILITY: No data available.
BIOACCUMULATION / ACCUMULATION: No data available.
MOBILITY IN SOIL: No data available.
OTHER ADVERSE ECOLOGICAL EFFECTS: No data available.

13.0 DISPOSAL INFORMATION

WASTE DISPOSAL: Waste must be disposed in accordance with local, state, provincial and/or federal regulations. Empty containers must be handled with care as they contain product residue. Before disposing any container, remove as much residue as possible. Waste liquid or dried product should be incinerated at an approved treatment/disposal facility or approved landfill. Do not reuse containers unless they are properly reconditioned/recycled.
CONTAMINATED PACKAGING: Dispose in accordance with local, state, provincial and/or federal regulations.
REGULATORY INFORMATION: This product contains a Marine Pollutant. Do not allow this product to be spilled into or near watersheds or bodies of water.

14.0 TRANSPORTATION INFORMATION

PROPER SHIPPING NAME - CONSUMER COMMODITY ORM-D (ERG #126) NOT FOR SHIPMENT BY AIRCRAFT
SHIPPING LABEL - ORM-D OR LIM QTY UN1950

15.0 REGULATORY INFORMATION

SARA 311/312 Hazards:
Chronic Health Hazard
Due to the presence of water, this product does not sustain combustion - USDOT 49CFR173.120(b)(3)
SARA 302 HAZARDS: No chemicals in this product are subject to the reporting requirements of SARA Title III Section 302.
SARA 304 HAZARDS: No chemicals in this product are subject to the reporting requirements of SARA Title III Section 304.
TSCA: All chemical substances in this product are listed by the Toxic Substance Control Act Inventory as required by 40CFR 700-799. This product complies with TSCA requirements.
B3: Combustible Liquid
CALIFORNIA PROP 65: **WARNING:** This product contains products known to the State of California to cause cancer and/or birth defects or reproductive harm.

16.0 OTHER INFORMATION

NOTICE: The HMIS rating for this material involves data and interpretations compiled from the various material suppliers of the component ingredients. This information will vary from supplier to supplier. The rating is intended for rapid and general identification of this product's hazards. To adequately deal with the safe handling of this material, all information contained in the SDS must be reviewed as part of an ongoing Hazard Communication Program.

Rymar LLC
6620 N CTH J
Cato, WI 54230

Phone: 1-866-287-9627
Customer Service: rymar@rymarindustries.com

This safety data sheet was prepared to comply with the U.S. OSHA Hazard Communication Standard 29 CFR 1910.1200 and the international GHS recommendations. The most current dated copy supersedes any previous dated information. Older information should be deleted to avoid confusion. DEFINITIONS: HAP = Hazardous Air Pollutant
VHAP = Volatile Hazardous Air Pollutant
PRODUCT OF THE UNITED STATES

HAZARD RATING	0 - MINIMAL	3 - SERIOUS
	1 - SLIGHT	4 - SEVERE
	2 - MODERATE	* - CHRONIC

HMIS RATING HEALTH - * 3 FLAMMABILITY - 0 REACTIVITY - 1

DATE OF PREPARATION 01/21/16
DATE PRINTED 06/27/16